

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9	375/345.ccls. and ((amplifier with gain) same (mixer with gain)) and (voltage same (amplitude or magnitude)) and (slicer or decoder or decision)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/16 12:30
L2	193	((amplifier with gain) same (mixer with gain)) and (voltage same (amplitude or magnitude)) and (slicer or decoder or decision)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/16 12:31
L3	25	((amplifier with gain) same ((mixer with gain) same oscillator)) and ((voltage with frequency) same (amplitude or magnitude)) and (slicer or decoder or decision)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/16 12:34
L4	0	((amplifier with gain) same ((mixer with gain) same oscillator)) and (amplifier same mixer same linearity same sensitivity)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/16 12:34
L5	3	((amplifier with gain) same ((mixer with gain) same oscillator)) and (amplifier same mixer same linearity same sensitivity)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/16 12:38
L6	2	((amplifier with gain) same ((mixer with gain) same oscillator)) and (amplifier same mixer same (order adj1 intercept))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/16 12:40
L7	2	((amplifier with gain) same ((mixer with gain) same oscillator)) and (amplifier same mixer same sensitivity same correlat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/16 12:41
L8	2	((amplifier with gain) same ((mixer with gain) same oscillator)) and (amplifier same mixer same (monitor\$4 with (error or quality)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/16 13:06
L9	2	("5490175").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/16 13:06
L10	2	("5490179").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/16 13:06
L11	1	"5359607".PN.	USPAT; USOCR	OR	OFF	2005/05/16 13:08

L12	1	"5001776".PN.	USPAT; USOCR	OR	OFF	2005/05/16 13:07
L13	1	L11 and gain	USPAT; USOCR	OR	OFF	2005/05/16 13:08
L14	1	"4928314".PN.	USPAT; USOCR	OR	OFF	2005/05/16 13:08